

linéaire**stone**

DISCOVER**STONE** DISCOVER**BRICKS**

www.craftstone.com.sg | a product of Singapore | made in Malaysia



Favourite



Like



Share



Design



*New Design!
New Colour!*

**CRAFT
STONE**

VINTAGE

2015 Edition
linéaire**stone** Brochure

linéairestone

DISCOVER**STONE** DISCOVER**BRICKS**

www.craftstone.com.sg | a product of Singapore | made in Malaysia

CraftStone® latest linéaire**stone** series offer a modern design and colors that caters to a new generation's pursue for simple and elegant design. The simplicity and elegance of CraftStone® latest linéaire**stone** series enables you to create an integrated space within a modern home that resonates with time.

Indeed, CraftStone® is YOUR NATURAL CHOICE!

Urban Cladding

The new CraftStone® Urban Cladding offer a modern design and colors that cater to a new generation's pursue for simple and elegant design.

Manufactured in standard modular of 50, 30 and 20cm in length and 10cm in height Urban Cladding is made for easy installation. Available in 3 easy-to-match color, Urban Cladding gives a 3-D finishing, dressing up your house in style to an otherwise plain wall.



Profile	Flat
Dimension	L500, 300, 200mm x W100mm x 15~25mm(thk)
Coverage	1.2sq.m per carton
Weight	33kg per carton



Linear

The new CraftStone® Linear series offer a stream line design in smooth finishing for a flawless touch.

Manufactured in standard modular of 50, 30 and 20cm in length and 10cm in height, Linear stones are designed for easy installation and fit well with every space and trend.



Profile	Flat
Dimension	L500, 300, 200mm x W100mm x 15-25mm(thk)
Coverage	1.2sq.m per carton
Weight	33kg per carton



LinearX

The new LinearX series combination of rough and smooth finishing creates a unique and timeless look.

Manufactured in standard modular of 50, 30 and 20cm in length and 10cm in height, LinearX stones are designed for easy installation and fit well with every space and trend.



Profile	Flat
Dimension	L500, 300, 200mm x W100mm x 15~25mm(thk)
Coverage	1.2sq.m per carton
Weight	33kg per carton



CraftStone®

manufactured stone veneer

www.craftstone.com.sg


log on now & discover the exciting world of CraftStone®!



Checker

The new Checker series offer a 3 dimensional mosaic appeal with its uniform matrix look and color.

Manufactured in standard modular of 50cm in length and 10cm in height, Checker stones are designed for easy installation and fit well with every space and trend.



Profile	Flat
Dimension	L500mm x W100mm x 20-35mm(thk)
Coverage	1.0sq.m per carton
Weight	33kg per carton



Modern

The new CraftStone® Modern series offer a classic finishing with its more subtle and deep lines.

Manufactured in standard modular of 50, 30 and 20cm in length and 10cm in height, Modern stones are designed for easy installation and fit well with every space and trend.



Profile	Flat
Dimension	L500, 300, 200mm x W100mm x 20-35mm(thk)
Coverage	1.0sq.m per carton
Weight	33kg per carton

Technical Specification

25-Year Limited Warranty

CraftStone® products carry a 25-year limited warranty when used on structures that conform to local building codes and installed according to the manufacturer's instruction. Warranty is limited to replacement of defective materials only. Damages resulting from building settlement, wall movement, force contact, contact with chemicals or paint, discoloration due to airborne contamination, staining or oxidation, will not be covered under the warranty.

Warranty is non-transferable and is only limited to the original purchaser.

Water Repellent

CraftStone® products feature the addition of water-based water repellent that greatly enhances the stone's performance in humid climate. Water repellent is mixed with the composite material during manufacturing, thus providing a more lasting effect than spray, brush or paint method.

Non-Combustible

CraftStone® products show zero flame spread and zero smoke development.

General Properties

Material Composition: Portland Cement, Light-Weight Aggregates and Iron Oxide Pigments.

Unit Weight: 33-45kg/m³ (varies according to profile)

Thickness: 15-60mm (varies according to profile)

Physical Properties

Water Absorption : <13%

Open Porosity*: <35%

Compressive Strength*: >12.0N/mm²

Flexural Strength*: >5.0N/mm²

*Test reference to NBN EN 1926 (1995), NBN EN 12372 (1999)

